

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

Completely wired, plastic enclosed, IP 44.

Enclosures 657 / 658 / 659 (Cable entry 2 x top and bottom M 20/25, knock-out)



1 CEEtyp panel socket 5 x 16 A
2 Schuko sockets
unfused, wired on terminal blocks
External dimensions (H x W x D):
237 x 125 x 100,5 mm

Part No. 657 01 05
(EAN No. 4015609156085)

stock item



1 CEEtyp panel socket 5 x 16 A
1 Schuko socket
1 MCB 1 pole 16 A »B«
External dimensions (H x W x D):
237 x 125 x 124 mm

Part No. 658 01 05
(EAN No. 4015609156504)

stock item

• Alternative:
1 MCB 1 pole 16 A »C«

Part No. 658 01 04
(EAN No. 4015609158515)



1 CEEtyp panel socket 5 x 32 A
1 Schuko socket
1 MCB 1 pole 16 A »B«
External dimensions (H x W x D):
237 x 125 x 124 mm

Part No. 658 11 03
(EAN No. 4015609158539)

stock item

• Alternative:
1 MCB 1 pole 16 A »C«

Part No. 658 11 04
(EAN No. 4015609158546)



2 Schuko sockets
2 MCBs 1 pole 16 A »B«
1 RCD 2 pole 25 A,
 $I_{\Delta n} = 0.03 A$

External dimensions (H x W x D):
237 x 125 x 124 mm

Part No. 659 00 01
(EAN No. 4015609159215)

Enclosures 691 / 692 (Cable entry 2 x top and bottom M 25/32. knock-out)



1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
3 Schuko sockets
unfused, wired on terminal blocks
External dimensions:
237 x 183 x 152 mm

Part No. 691 30 01
(EAN No. 401560990280)



4 Schuko sockets
4 MCBs 1 pole 16 A »B«
1 RCD 4 pole 40 A,
 $I_{\Delta n} = 0.03 A$
1 terminal block set K 25, 10 pole

External dimensions:
237 x 183 x 152 mm

Part No. 692 00 03
(EAN No. 401560990372)

• Alternative:
4 MCBs 1 pole 16 A »C«

Part No. 692 00 04
(EAN No. 401560990389)

11



1 CEEtyp panel socket 5 x 16 A
2 Schuko sockets
1 MCB 3 pole 16 A »C«
2 MCBs 1 pole 16 A »B«
1 terminal block set K 25, 5 pole

External dimensions:
237 x 183 x 152 mm
Part No. 692 01 08
(EAN No. 401560990730)

stock item

• Alternative:
2 MCBs 1 pole 16 A »C«

Part No. 692 01 13
(EAN No. 401560990785)

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

Completely wired, plastic enclosed, IP 44.

Enclosures 698 Cable entry 2 x top & bottom M 25/32, knock-out



2 CEEtyp panel sockets 5 x 16 A
3 Schuko sockets
2 MCBs 3 pole 16 A »C«
3 MCBs 1 pole 16 A »B« •
1 terminal block set K 25, 5 pole
External dimensions (H x W x D):
370 x 183 x 152 mm


Part No. 698 02 02
(EAN No. 401560993922)

• Alternative:
3 MCBs 1 pole 16 A »C«

Part No. 698 02 03
(EAN No. 4015609156993)

Enclosures 682 (cable entry 3 x top and bottom M 32/50, knock-out)




1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
4 Schuko sockets
1 MCB 3 pole 32 A »C«
1 MCB 3 pole 16 A »C«
4 MCBs 1 pole 16 A »B«
1 RCD  4 pole 40 A,
 $I_{\Delta n} = 0.03$ A
1 terminal block set K 25, 10 pole

External dimensions (H x W x D):
404 x 290 x 171,5 mm

Part No. 682 30 01
(EAN No. 4015609156597)



1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
2 Schuko sockets
1 MCB 3 pole 32 A »C«
1 MCB 3 pole 16 A »C«
2 MCBs 1 pole 16 A »B«
1 RCD  4 pole 40 A,
 $I_{\Delta n} = 0.03$ A
1 terminal block set K 25, 10 pole

External dimensions (H x W x D):
404 x 290 x 171,5 mm

Part No. 682 30 06
(EAN No. 4015609180806)




Enclosures 689

(Enclosure 682 and 683 joined)

Cable entry 3 x top and bottom M 32/50, knock-out



2 CEEtyp panel socket 5 x 32 A
2 CEEtyp panel socket 5 x 16 A
2 Schuko sockets
2 MCBs 3 pole 32 A »C«
2 MCBs 3 pole 16 A »C«
2 MCBs 1 pole 16 A »B«
1 RCD  4 pole 63 A,
 $I_{\Delta n} = 0.03$ A
1 terminal block set K 25, 5 pole

External dimensions (H x W x D):
655 x 290 x 171,5 mm


Part No. 689 33 01
(EAN No. 4015609185535)

Enclosures 685

(Enclosure 681 and 686 joined)

Cable entry 3 x top and bottom M 32/50, knock-out



1 CEEtyp panel socket 5 x 32 A
2 CEEtyp panel sockets 5 x 16 A
3 CEEtyp panel sockets 3 x 16 A
4 Schuko sockets
1 MCB 3 pole 32 A »C«
2 MCBs 3 pole 16 A »C«
3 MCBs 1 pole 16 A »C«
4 MCBs 1 pole 16 A »B«
1 RCD  4 pole 63 A,
 $I_{\Delta n} = 0.03$ A
1 terminal block set K 25, 5 pole

External dimensions (H x W x D):
809 x 290 x 171,5 mm

Part No. 685 35 01
(EAN No. 4015609185481)

CEEtyp sockets: IEC/EN 60 309-1,2
Schuko sockets: DIN 49 440
Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

**Combination units,
PBT plastic, chemical resistant**
completely wired, plastic enclosed, IP 44

Enclosures of chemical resistant PBT plastic are for use in areas where chemicals and aggressive media are used.

Looking for different combination units?

All standard versions are also available in chemical resistant PBT plastic. To order a standard enclosure in PBT plastic just add „CB“ after the standard part number.

Or simply call us - we will assist you.



Chemical resistant enclosure
1 CEEtyp panel socket 5 x 16 A
2 Schuko sockets
unfused, wired on terminal blocks

External dimensions (H x W x D):
237 x 125 x 100,5 mm

Part No. 657 01 05 CB
(EAN No. 4015609291991)



Chemical resistant enclosure
1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
3 Schuko sockets
unfused, wired on terminal blocks

External dimensions (H x W x D):
237 x 183 x 152 mm

Part No. 691 30 01 CB
(EAN No. 4015609292004)



Chemical resistant enclosure
2 CEEtyp panel sockets 5 x 16 A
3 Schuko sockets
2 MCBs 3 pole 16 A »C«
3 MCBs 1 pole 16 A »B«
1 terminal block set K 25, 5 pole

External dimensions (H x W x D):
370 x 183 x 152 mm

Part No. 698 02 02 CB
(EAN No. 4015609292035)

Portable combination units, enclosures 692 and 698



Enclosure 692 with handle
4 Schuko sockets
4 MCBs 1 pole 16 A »B«
1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G6
with CEEtyp plug 5 x 32 A

External dimensions (H x W x D):
237 x 183 x 152 mm

Part No. 692 00 07 (EAN 401560990419)



Enclosure 692 with handle
1 CEEtyp panel socket 5 x 16 A
2 Schuko sockets
1 MCB 3 pole 16 A »C«
2 MCBs 1 pole 16 A »B«
1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G6
with CEEtyp plug 5 x 32 A

External dimensions (H x W x D):
237 x 183 x 152 mm

Part No. 692 01 66 (EAN 4015609185580)



Enclosure 692 with handle
2 CEEtyp panel sockets 5 x 16 A
2 MCBs 3 pole 16 A »C«
1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G6
with CEEtyp plug 5 x 32 A

External dimensions (H x W x D):
237 x 183 x 152 mm

Part No. 692 02 08 (EAN 4015609230754)



Enclosure 692 with handle
1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
2 Schuko sockets, laterally
1 MCB 3 pole 16 A »C«
2 MCBs 1 pole 16 A »B«
1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G6
with CEEtyp plug 5 x 32 A

External dimensions (H x W x D):
237 x 183 x 152 mm

Part No. 692 30 19 (EAN 4015609247806)



Enclosure 698 with handle
6 Schuko sockets
6 MCBs 1 pole 16 A »B«
1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G6
with CEEtyp plug 5 x 32 A

External dimensions (H x W x D):
370 x 183 x 152 mm

Part No. 698 00 04 (EAN 4015609185597)



Enclosure 698 with handle
1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
3 Schuko sockets
1 MCB 3 pole 16 A »C«
3 MCBs 1 pole 16 A »B«
1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G6
with CEEtyp plug 5 x 32 A


External dimensions (H x W x D):
370 x 183 x 152 mm


Part No. 698 30 13 (EAN 4015609185603)

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.


Completely wired, plastic enclosed, IP 44.





1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
3 Schuko sockets
1 MCB 3 pole 16 A »C«
3 MCBs 1 pole 16 A »B«
1 RCD  4 pole 40A, $I_{\Delta n} = 0.03$ A
1 CEEtyp appliance inlet 5 x 32 A

External dimensions (H x W x D):
310 x 270 x 270 mm

Part No. 649 30 16
(EAN No. 401560944634)






1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
3 Schuko sockets
1 MCB 3 pole 16 A »C«
3 MCBs 1 pole 16 A »B«
1 RCD  4 pole 40A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G6 with CEEtyp plug 5 x 32 A

External dimensions (H x W x D):
310 x 270 x 270 mm

Part No. 649 30 19
(EAN No. 4015609128662)



1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
4 Schuko sockets
1 MCB 3 pole 16 A »C«
2 MCBs 1 pole 16 A »B«
2 m supply cable H07RN-F5G6 with CEEtyp plug 5 x 32 A

External dimensions (H x W x D):
310 x 270 x 270 mm


Part No. 649 30 06
(EAN No. 401560944597)



1 CEEtyp panel socket 5 x 32 A
1 CEEtyp panel socket 5 x 16 A
4 Schuko sockets
1 MCB 3 pole 32 A »C«
1 MCB 3 pole 16 A »C«
4 MCBs 1 pole 16 A »B«
2 m supply cable H07RN-F5G16 with CEEtyp plug 5 x 63 A

External dimensions (H x W x D):
310 x 270 x 270 mm

Part No. 649 30 02
(EAN No. 401560944566)



1 CEEtyp panel socket 5 x 32 A
2 CEEtyp panel sockets 5 x 16 A
4 Schuko sockets
2 MCBs 3 pole 16 A »C«
4 MCBs 1 pole 16 A »B«
1 CEEtyp appliance inlet 5 x 32 A

External dimensions (H x W x D):
310 x 270 x 270 mm

Part No. 649 31 08
(EAN No. 4015609129362)



2 CEEtyp panel sockets 5 x 32 A
2 CEEtyp panel sockets 5 x 16 A
2 Schuko sockets
2 MCBs 3 pole 16 A »C«
1 MCB 1 pole 16 A »B«
1 RCD  4 pole 40A, $I_{\Delta n} = 0.03$ A
1 CEEtyp appliance inlet 5 x 32 A

External dimensions (H x W x D):
310 x 270 x 270 mm

Part No. 649 33 09
(EAN No. 401560944719)



2 CEEtyp panel sockets 5 x 32 A
2 CEEtyp panel sockets 5 x 16 A
8 Schuko sockets
2 MCBs 3 pole 32 A »C«
2 MCBs 3 pole 16 A »C«
4 MCBs 1 pole 16 A »B«
1 RCD  4 pole 63A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G16 with CEEtyp plug 5 x 63 A

External dimensions (H x W x D):
450 x 270 x 270 mm

Tower version
Part No. 649 33 04
(EAN No. 401560969149)



1 CEEtyp panel socket 5 x 63 A
2 CEEtyp panel sockets 5 x 32 A
2 CEEtyp panel sockets 5 x 16 A
4 Schuko sockets
2 MCBs 3 pole 32 A »C«
2 MCBs 3 pole 16 A »C«
4 MCBs 1 pole 16 A »B«
1 RCD  4 pole 63A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F5G16 with CEEtyp plug 5 x 63 A

External dimensions (H x W x D):
450 x 270 x 270 mm

Tower version
Part No. 649 54 04
(EAN No. 401560944757)

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

Completely wired, plastic enclosed, IP 44.

Solid rubber wall mount distribution units, enclosures 646 / 647



- 2 CEEtyp panel sockets 5 x 16 A
- 6 Schuko sockets
- unfused, wired on terminal blocks
- 1 M 32 cable gland on top
- 1 M 32 blanking plug on bottom

External dimensions (H x W x D):
370 x 280 x 130 mm

Part No. 646 02 01
(EAN No. 4015609247783)



- 2 CEEtyp panel sockets 5 x 16 A
- 3 Schuko sockets
- 2 MCBs 3 pole 16 A »C«
- 3 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
- 1 terminal block set K 25, 5 pole
- 1 M 32 cable gland on top
- 1 M 32 blanking plug on bottom

External dimensions (H x W x D):
370 x 248 x 190 mm

Part No. 647 02 01
(EAN No. 4015609122608)



- 1 CEEtyp panel sockets 5 x 32 A
- 1 CEEtyp panel sockets 5 x 16 A
- 3 Schuko sockets
- 1 MCB 3 pole 32 A »C«
- 1 MCB 3 pole 16 A »C«
- 3 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 63 A, $I_{\Delta n} = 0.03$ A
- 1 terminal block set K 25, 5 pole
- 1 M 32 cable gland on top
- 1 M 32 blanking plug on bottom

External dimensions (H x W x D):
370 x 280 x 190 mm

Part No. 646 30 01
(EAN No. 4015609237425)



- 1 CEEtyp panel socket 5 x 32 A
- 1 CEEtyp panel socket 5 x 16 A
- 3 Schuko sockets
- 1 MCB 3 pole 32 A »C«
- 1 MCB 3 pole 16 A »C«
- 3 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
- 1 terminal block set K 25, 5 pole
- 1 M 32 cable gland on top
- 1 M 32 blanking plug on bottom

External dimensions (H x W x D):
370 x 248 x 190 mm

Part No. 647 30 02
(EAN No. 401560944283)



Portable hard polyethylene distribution units, enclosures 654 / 656



- 2 CEEtyp panel sockets 5 x 16 A
- 3 Schuko sockets
- 1 RCD 4 pole 25 A, $I_{\Delta n} = 0.03$ A
- 1 CEEtyp appliance inlet 5 x 16 A

External dimensions (H x W x D):
199 x 210 x 252 mm

Part No. 654 02 02
(EAN No. 4015609185337)



- 2 CEEtyp panel sockets 5 x 16 A
- 4 Schuko sockets
- 2 MCBs 3 pole 16 A »C«
- 1 MCB 1 pole 16 A »B«
- 1 RCD 4 pole 40 A, $I_{\Delta n} = 0.03$ A
- 2 m supply cable H07RN-F5G6 with CEEtyp plug 5 x 32 A

Part No. 656 02 01
(EAN No. 4015609185344)



- 1 CEEtyp panel socket 5 x 32 A
- 2 CEEtyp panel sockets 5 x 16 A
- 3 Schuko sockets
- 2 MCBs 3 pole 16 A »C«
- 3 MCBs 1 pole 16 A »C«
- 2 m supply cable H07RN-F5G6 with CEEtyp plug 5 x 32 A

Part No. 656 31 01
(EAN No. 401560945211)

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

Completely wired, plastic enclosed, IP 44.

Multiple extension outlet units, solid rubber, enclosures 640




3 CEEtyp panel sockets 3 x 16 A/4h
2 m supply cable H07RN-F3G2,5
with CEEtyp plug 3 x 16 A/4h

External dimensions (H x W x D):
323 x 95 x 72 mm

Part No. 640 07 01
(EAN No. 4015609185016)



1 transparent cover
(with space for 2.5 MCB below)
2 CEEtyp panel sockets 3 x 16 A/4h
1 RCD  2 pole 25 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F3G2,5
with CEEtyp plug 3 x 16 A/4h

External dimensions (H x W x D):
323 x 95 x 72 mm

Part No. 640 07 02
(EAN No. 4015609185023)




1 CEEtyp panel socket 5 x 16 A
Schuko sockets
m supply cable H07RN-F5G2,5
with CEEtyp plug 5 x 16 A

External dimensions (H x W x D):
323 x 95 x 72 mm

Part No. 640 01 01
(EAN No. 4015609185009)



1 transparent cover
(with space for 2.5 MCB below)
1 CEEtyp panel socket 3 x 16 A
1 Schuko socket
1 RCD  2 pole 25 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F3G2,5
with CEEtyp plug 3 x 16 A

External dimensions (H x W x D):
323 x 95 x 72 mm

Part No. 640 10 01
(EAN No. 4015609185030)




3 Schuko sockets
2 m supply cable H07RN-F3G1,5
with solid rubber Schuko plug

External dimensions (H x W x D):
323 x 95 x 72 mm

Part No. 640 00 01
(EAN No. 4015609184989)



1 transparent cover
(with space for 2.5 MCB below)
2 Schuko sockets
1 RCD  2 pole 25 A, $I_{\Delta n} = 0.03$ A
2 m supply cable H07RN-F3G1,5
with solid rubber Schuko plug

External dimensions (H x W x D):
323 x 95 x 72 mm

Part No. 640 00 02
(EAN No. 4015609184996)

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

Completely wired, plastic enclosed, IP 44.



Width: 220 mm

The pillars are made of stainless steel, material 1.4301.
Four fixing holes in the base for ground fixing.
The supply cables are covered and thus protected.
Special sizes and RAL-varnishes are available on request.



Width: 330 mm

Part No.:	for combination units:
620 99 12	691,692, 693, 696 & 697 EAN No. 4015609364558
620 99 15	694 and 695 EAN No. 4015609364572
620 99 18	698 EAN No. 4015609364589
620 99 19	699 EAN No. 4015609364596

Part No.:	for combination units:
620 99 22	681,682, 686 and 687 EAN No. 4015609390144
620 99 29	689 EAN No. 4015609390151
620 99 46	646 EAN No. 4015609390168
620 99 47	647 EAN No. 4015609390175



- 1 Stainless steel pillar, narrow, equipped with:
- 1 CEEtyp panel socket 5 x 16 A
- 2 Schuko sockets
- 1 MCB 3 pole 16 A »C«
- 2 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 40 A, I_{Δn} = 0.03 A

Part No. 692 01 30 ES
(EAN No. 4015609412501)



- 1 Stainless steel pillar, wide, equipped with:
- 1 CEEtyp panel socket 5 x 32 A
- 1 CEEtyp panel socket 5 x 16 A
- 4 Schuko sockets
- 1 MCB 3 pole 32 A »C«
- 1 MCB 3 pole 16 A »C«
- 4 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 40 A, I_{Δn} = 0.03 A
- 1 terminal block set K 25, 10-5 pole

Part No. 682 30 01 ES
(EAN No. 4015609291960)



- 1 Stainless steel pillar, narrow, equipped with:
- 1 CEEtyp panel socket 5 x 32 A
- 4 Schuko sockets
- 1 MCB 3 pole 32 A »C«
- 2 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 40 A, I_{Δn} = 0.03 A
- 1 terminal block set K 25, 10 pole

Part No. 698 11 01 ES
(EAN No. 4015609291939)



- 1 Stainless steel pillar, wide, equipped with:
- 1 CEEtyp panel socket 5 x 32 A
- 1 CEEtyp panel socket 5 x 16 A
- 3 Schuko sockets
- 1 MCB 3 pole 32 A »C«
- 1 MCB 3 pole 16 A »C«
- 3 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 40 A, I_{Δn} = 0.03 A
- 1 terminal block set K 25, 5 pole

Part No. 647 30 02 ES
(EAN No. 4015609291984)

11



- 1 Stainless steel pillar, narrow, equipped with:
- 3 CEEtyp panel sockets 5 x 16 A
- 2 Schuko sockets
- 3 MCBs 3 pole 16 A »C«
- 2 MCBs 1 pole 16 A »B«
- 1 RCD 4 pole 63 A, I_{Δn} = 0.03 A
- 1 terminal block set K 25, 5 pole

Part No. 699 03 01 ES
(EAN No. 4015609291953)

For orders:

If you want to order a combination unit which is not listed here in a stainless steel pillar, please simply add the letters „ES“ after the part number.

For example: 682 02 05 **ES**

Other configurations on request.

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

Completely wired, plastic enclosed, IP 44. **Distribution cabinets made of brushed stainless steel (material 1.4301).**


For flush mount installation

- Door lockable with profile half cylinder. Standard locking G2123 (Profile half cylinder with rain protection cap & plastic rimlock)
- Can be equipped with Schuko sockets & CEE sockets up to 32 A
- 3 x top cable entry, 2 x bottom cable entry with grommets




Built-in width:
up to **9 MCB**
module units

External dimensions
(H x W x D):
590 x 315 x 210 mm

- 1 CEEtyp panel socket 5 x 16 A
- 2 Schuko sockets
- 1 MCB 3 pole 16 A »C«
- 2 MCB 1 pole 16 A »B«
- 1 RCD  4 pole 40 A, $I_{\Delta n} = 0.03$ A

Part No. 6UP 01 30
(EAN No. 4015609351985)


- 1 CEEtyp panel socket 5 x 16 A
 - 4 Schuko sockets
 - 1 MCB 3 pole 16 A »C«
 - 4 MCB 1 pole 16 A »B«
 - 1 RCD 4 pole  40 A, $I_{\Delta n} = 0.03$ A
- External dimensions (H x W x D):
590 x 420 x 210 mm

Part No. 6UP 01 01
(EAN No. 4015609351992)



Built-in width:
up to **15 MCB** module units



- 1 CEEtyp panel socket 5 x 32 A
 - 1 CEEtyp panel socket 5 x 16 A
 - 2 Schuko sockets
 - 1 MCB 3 pole 32 A »C«
 - 1 MCB 3 pole 16 A »C«
 - 2 MCB 1 pole 16 A »B«
 - 1 RCD 4 pole  63 A, $I_{\Delta n} = 0.03$ A
- External dimensions (H x W x D):
590 x 420 x 210 mm

Part No. 6UP 30 07
(EAN No. 4015609352005)




For surface mount installation.

- Door lockable by locking cylinder with rotary interlocking bolt
- Can be equipped with Schuko sockets and CEE sockets up to 32 A
- 2 bottom cable entries with grommets




Built-in width:
up to **8 MCB**
module units




- 2 Schuko sockets
- 2 MCB 1 pole 16 A »B«
- 1 RCD 2 pole  25 A, $I_{\Delta n} = 0.03$ A

Part No. 6A2 00 01
(EAN No. 4015609389919)

- 1 CEEtyp panel socket 5 x 16 A
- 1 Schuko socket
- 1 MCB 3 pole 16 A »C«
- 1 MCB 1 pole 16 A »B«
- 1 RCD 4 pole  40 A, $I_{\Delta n} = 0.03$ A

Part No. 6A2 01 01
(EAN No. 4015609389926)

- 1 CEEtyp panel socket 5 x 32 A
- 1 Schuko socket
- 1 MCB 3 pole 32 A »C«
- 1 MCB 1 pole 16 A »B«
- 1 RCD 4 pole  40 A, $I_{\Delta n} = 0.03$ A

Part No. 6A2 11 01
(EAN No. 4015609389933)

Free choice of components ...

- Wall mounted, only with canopy
- Mounted on a post, with canopy and back plate
- Back plate with or without side panels
- Complete with stand, back plate or canopy
- Turquoise, signal orange or mixed colours
- Standard steel, stainless steel or mixed
- With or without mounting bracket with pressure air valve



Wall mount combination unit with canopy

Mounted on a post

... for utmost price flexibility

Description		Dimensions H x W x D (mm)	Stainless steel, turquoise Part No.		EAN-No. 4015609...
Complete units				1	
for combination: 646 647 648 657 - 659 681 - 682 689 691 - 692 694 - 695 698 699		1474 x 300 x 50 1474 x 300 x 150 1433 x 350 x 170 1381 x 300 x 150 1518 x 385 x 220 1769 x 385 x 220 1409 x 300 x 200 1648 x 300 x 200 1542 x 300 x 200 1689 x 300 x 200	620WL46ET 620WL47ET 620WL48ET 620WL59ET 620WL82ET 620WL89ET 620WL92ET 620WL95ET 620WL98ET 620WL99ET	9410 8990 12650 9440 17620 21580 10760 13520 12340 17200	342617 344475 344499 344383 344451 344468 344413 344420 344437 344444
Unit heads				1	
for combination: 657 - 659 681 - 682 689 691 - 692 694 - 695 698 699		417 x 221 x 170 710 x 385 x 220 961 x 385 x 220 505 x 278 x 200 743 x 278 x 200 638 x 278 x 200 880 x 278 x 200	620WL59ETK 620WL82ETK 620WL89ETK 620WL92ETK 620WL95ETK 620WL98ETK 620WL99ETK	4120 10320 14280 5440 8200 7020 9900	344390 344543 344567 344406 344512 344529 344536
Stands				1	
Stand 60 x 40 with mounted threaded plate Stand 60 x 60 with mounted threaded plate		1000 x 300 x 150 900 x 300 x 170	620WL01ET 620WL02ET	5320 7300	287666 292578
Back plates				1	
for combination: 646 647 648	without side panels	571 x 285 x 24 571 x 253 x 24 625 x 350 x 24	620WL18ET 620WL19ET 620WL20ET	4090 3670 5350	345014 345021 345038
657 - 659 681 - 682 689 691 - 692 694 - 695 698 699	with side panels	417 x 133 x 133 710 x 300 x 184 961 x 300 x 184 505 x 193 x 164 743 x 193 x 164 638 x 193 x 164 880 x 193 x 164	620WL11ET 620WL16ET 620WL17ET 620WL12ET 620WL13ET 620WL14ET 620WL15ET	3400 8640 12600 4360 7120 5940 8820	297795 297863 297870 297801 297832 297849 297856
Canopies				1	
for combination: series 657 - 659 series 680 series 690		170 x 221 x 170 190 x 385 x 220 190 x 278 x 200	620WL31ET 620WL33ET 620WL32ET	720 1680 1080	297887 297900 297894

CEEtyp sockets: IEC/EN 60 309-1,2 / Schuko sockets: DIN 49 440

Available in compliance with French, Belgian, Danish, British, Swiss and other national standards on request.

Completely wired, plastic enclosed, IP 44.


- 1 Suspension combination unit with suspension eye hook and 2 M25 cable glands (with multiple gland) and yellow handle at the bottom
- 2 Schuko sockets
- 2 Schuko sockets
- 1 Partition wall
- 1 TMCB junction box NF
- 1 UMCB junction box CAT. 5 8 UP OK


Protection degree IP 00



Weight: 1.6 kg

Part No. 6H0 88 01
(EAN No. 4015609 347735)

- 1 Suspension combination unit with transparent cover 4.5 MCB with suspension eye hook and with M25 cable gland and yellow handle at the bottom
- 1 CEE panel socket 5 x 16 A
- 6 Schuko sockets
- 1 RCD  4 pole 40 A, $I_{\Delta n} = 0.03$ A



Weight: 2.3 kg


Part No. 6H1 01 01
(EAN No. 4015609 347797)


- 1 Suspension combination unit with transparent cover 4.5 TE with suspension eye hook and with M25 cable gland and yellow handle
- 1 CEE panel socket 5 x 32 A
- 1 CEE panel socket 5 x 16 A
- 2 Schuko sockets
- 1 MCB 3 pole 16 A »C«
- 1 MCB 1 pole 16 A »B«
- 1 m tube 3/8" and two-way distributor 3/8" for pressure air



Weight: 3.4 kg

Part No. 6H1 30 01 LA
(EAN No. 4015609 347728)

- 1 Suspension combination unit with 2 transparent covers 4.5 MCB with suspension eye hook and with M25 cable gland and yellow handle at the bottom
- 1 CEE panel socket 5 x 32 A
- 1 CEE panel socket 5 x 16 A
- 2 Schuko sockets
- 1 MCB 3 pole 16 A »C«
- 1 MCB 1 pole 16 A »B«
- 1 RCD  4 pole 40 A $I_{\Delta n} = 0.03$ A
- 1 m tube 3/8" and two-way distributor 3/8" or pressure air



Weight: 4.0 kg

Part No. 6H2 30 02 LA
(EAN No. 4015609 347827)